

Sec. 481.1031. PENALTY GROUP 2-A.

Penalty Group 2-A consists of any quantity of a synthetic chemical compound that is a cannabinoid receptor agonist and mimics the pharmacological effect of naturally occurring cannabinoids, including:

naphthoylindoles structurally derived from 3-(1-naphthoyl)indole by substitution at the nitrogen atom of the indole ring by alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, or 2-(4-morpholinyl)ethyl, whether or not further substituted in the indole ring to any extent, whether or not substituted in the naphthyl ring to any extent, including:

AM-2201;

JWH-004;

JWH-007;

JWH-009;

JWH-015;

JWH-016;

JWH-018;

JWH-019;

JWH-020;

JWH-046;

JWH-047;

JWH-048;

JWH-049;

JWH-050;

JWH-073;

JWH-076;

JWH-079;

JWH-080;

JWH-081;

JWH-082;

JWH-083;

JWH-093;

JWH-094;

JWH-095;

JWH-096;

JWH-097;

JWH-098;

JWH-099;

JWH-100;

JWH-116;

JWH-122;

JWH-148;

JWH-149;

JWH-153;

JWH-159;

JWH-164;

JWH-165;

JWH-166;

JWH-180;

JWH-181;

JWH-182;

JWH-189;

JWH-193;

JWH-198;

JWH-200;

JWH-210;

JWH-211;

JWH-212;

JWH-213;

JWH-234;

JWH-235;

JWH-239;

JWH-240;

JWH-241;

JWH-242;

JWH-258;

JWH-259;

JWH-260;

JWH-262;

JWH-267;

JWH-386;

JWH-387;

JWH-394;

JWH-395;
JWH-397;
JWH-398;
JWH-399;
JWH-400;
JWH-412;
JWH-413; and
JWH-414;

naphthylmethylandones structurally derived from 1H-indol-3-yl-(1-naphthyl)methane by substitution at the nitrogen atom of the indole ring by alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, or 2-(4-morpholinyl)ethyl, whether or not further substituted in the indole ring to any extent, whether or not substituted in the naphthyl ring to any extent, including:

JWH-175;
JWH-184;
JWH-185;
JWH-192;
JWH-194;
JWH-195;
JWH-196;
JWH-197; and
JWH-199;

naphthoylpyrroles structurally derived from 3-(1-naphthoyl)pyrrole by substitution at the nitrogen atom of the pyrrole ring by alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, or 2-(4-morpholinyl)ethyl, whether or not further substituted in the pyrrole ring to any extent, whether or not substituted in the naphthyl ring to any extent, including:

JWH-030;

JWH-145;

JWH-146;

JWH-147;

JWH-150;

JWH-156;

JWH-243;

JWH-244;

JWH-245;

JWH-246;

JWH-292;

JWH-293;

JWH-307;

JWH-308;

JWH-309;

JWH-346;

JWH-347;

JWH-348;

JWH-363;

JWH-364;

JWH-365;

JWH-366;

JWH-367;

JWH-368;

JWH-369;
JWH-370;
JWH-371;
JWH-372;
JWH-373; and
JWH-392;

naphthylmethylenes structurally derived from 1-(1-naphthylmethyl)indene by substitution at the 3-position of the indene ring by alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, or 2-(4-morpholinyl)ethyl, whether or not further substituted in the indene ring to any extent, whether or not substituted in the naphthyl ring to any extent, including:

JWH-171;
JWH-172;
JWH-173; and
JWH-176;

phenylacetylindoles structurally derived from 3-phenylacetylindole by substitution at the nitrogen atom of the indole ring with alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, or 2-(4-morpholinyl)ethyl, whether or not further substituted in the indole ring to any extent, whether or not substituted in the phenyl ring to any extent, including:

AM-694;
AM-1241;
JWH-167;
JWH-203;
JWH-204;
JWH-205;
JWH-206;
JWH-208;

JWH-237;
JWH-248;
JWH-249;
JWH-250;
JWH-251;
JWH-252;
JWH-253;
JWH-302;
JWH-303;
JWH-305;
JWH-306;
JWH-311;
JWH-312;
JWH-313;
JWH-314; and
JWH-315;

cyclohexylphenols structurally derived from 2-(3-hydroxycyclohexyl)phenol by substitution at the 5-position of the phenolic ring by alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, or 2-(4-morpholinyl)ethyl, whether or not substituted in the cyclohexyl ring to any extent, including:

CP-55,940;

CP-47,497;

analogues of CP-47,497, including VII, V, VIII, I, II, III, IV, IX, X, XI, XII, XIII, XV, and XVI;

JWH-337;

JWH-344;

JWH-345; and

JWH-405; and

cannabinol derivatives, except where contained in marihuana, including tetrahydro derivatives of cannabinol and 3-alkyl homologues of cannabinol or of its tetrahydro derivatives, such as:

Nabilone;

HU-210;

HU-211; and

WIN-55,212-2.